

## SH-SZJ-D : Explosion Proof Reducer

Materials	Nickel Brass (SS 304/316 - On Request)	Sealing Materials	Neoprene
Surface Treatment	Nickel Planted, Passivation	Fireproof Grade	V0 (UL94)
Ambient Temperature	-20°C to 70°C. (Static)	Protection Level	IP66
Explosion Mark	Ex db IIC Gb/ Ex eb IIC Gb/ Ex tb IIIC Db		

- Suitable for hazardous environments such as oil exploration, oil refining, Chemical industry, Military industry, ETC.
- Suitable for Zone1 and Zone 2 in explosive gas atmospheres.
- Suitable for area 20,21 and 22 in combustible dust environments.
- Suitable for IIA, IIB, IIC explosive gas environment.



## Technical Parameters

Product Model	Male Thread	Female Thread	L	H	Spanner Size C
SH-SZJ-D M20x1.5-M16x1.5	M20x1.5	M16x1.5	16	21	24
SH-SZJ-D M25x1.5-M20x1.5	M25x1.5	M20x1.5	16	21	30
SH-SZJ-D M30x2.0-M16x1.5	M30x2.0	M16x1.5	18	23	36
SH-SZJ-D M30x2.0-M20x1.5	M30x2.0	M20x1.5	18	23	36
SH-SZJ-D M32x1.5-M20x1.5	M32x1.5	M20x1.5	18	23	36
SH-SZJ-D M32x1.5-M25x1.5	M32x1.5	M25x1.5	18	23	36
SH-SZJ-D M36x2.0-M25x1.5	M36x2.0	M25x1.5	18	24	40
SH-SZJ-D M40x1.5-M25x1.5	M40x1.5	M25x1.5	19	25	45
SH-SZJ-D M40x1.5-M32x1.5	M40x1.5	M32x1.5	19	25	45
SH-SZJ-D M48x2.0-M32x1.5	M48x2.0	M32x1.5	20	26	55
SH-SZJ-D M48x2.0-M40x1.5	M48x2.0	M40x1.5	20	26	55
SH-SZJ-D M50x1.5-M32x1.5	M50x1.5	M32x1.5	20	26	55
SH-SZJ-D M50x1.5-M40x1.5	M50x1.5	M40x1.5	20	26	55
SH-SZJ-D M56x2.0-M40x1.5	M56x2.0	M40x1.5	20	26	68
SH-SZJ-D M63x1.5-M40x1.5	M63x1.5	M40x1.5	20	26	68
SH-SZJ-D M63x1.5-M50x1.5	M63x1.5	M50x1.5	20	26	68
SH-SZJ-D M64x2.0-M40x1.5	M64x2.0	M40x1.5	20	26	68
SH-SZJ-D M64x2.0-M50x1.5	M64x2.0	M50x1.5	20	26	68
SH-SZJ-D M72x2.0-M50x1.5	M72x2.0	M50x1.5	22	28	86
SH-SZJ-D M72x2.0-M63x1.5	M72x2.0	M63x1.5	22	28	86
SH-SZJ-D M75x1.5-M50x1.5	M75x1.5	M50x1.5	22	28	86
SH-SZJ-D M75x1.5-M63x1.5	M75x1.5	M63x1.5	22	28	86
SH-SZJ-D M80x1.5-M63x1.5	M80x1.5	M63x1.5	22	28	90
SH-SZJ-D M90x2.0-M63x1.5	M90x2.0	M63x1.5	22	28	96
SH-SZJ-D M90x2.0-M75x1.5	M90x2.0	M75x1.5	22	28	96
SH-SZJ-D M90x2.0-M80x1.5	M90x2.0	M80x1.5	22	28	96
SH-SZJ-D M100x2.0-M80x1.5	M100x2.0	M80x1.5	22	28	110
SH-SZJ-D M100x2.0-M90x2.0	M100x2.0	M90x2.0	22	28	110
SH-SZJ-D M115x1.5-M90x1.5	M115x1.5	M90x1.5	24	31	125
SH-SZJ-D M115x1.5-M100x1.5	M115x1.5	M100x1.5	24	31	125
SH-SZJ-D NPT1/2-NPT1/4	NPT1/2	NPT1/4	16	21	24
SH-SZJ-D NPT3/4-NPT1/2	NPT3/4	NPT1/2	16	21	24
SH-SZJ-D NPT1-NPT1/2	NPT1	NPT1/2	18	23	36
SH-SZJ-D NPT1-NPT3/4	NPT1	NPT3/4	18	23	36
SH-SZJ-D NPT1-1/4-NPT3/4	NPT1-1/4	NPT3/4	19	25	45
SH-SZJ-D NPT1-1/4-NPT1	NPT1-1/4	NPT1	19	25	44
SH-SZJ-D NPT1-1/2-NPT1	NPT1-1/2	NPT1	20	26	45
SH-SZJ-D NPT1-1/2-NPT1-1/4	NPT1-1/2	NPT1-1/4	22	28	53
SH-SZJ-D NPT2-NPT1-1/4	NPT2	NPT1-1/4	22	28	68

\*\*บริษัท ขอสงวนสิทธิ์การเปลี่ยนแปลงราคา โดยมีต้นฉบับแจ้งให้ทราบล่วงหน้า\*\*

ส่วนติดต่อการตลาด Tel 02-027-7841, 095-543-5665 / Fax 02-026-6529

Email : sales.tpetrading@gmail.com / ID Line : @tpetrading

## Technical Parameters

Product Model	Male Thread	Female Thread	L	H	Spanner Size C
SH-SZJ-D NPT2-NPT1-1/2	NPT2	NPT1-1/2	22	28	68
SH-SZJ-D NPT2-1/2-NPT1-1/2	NPT2-1/2	NPT1-1/2	28	35	86
SH-SZJ-D NPT2-1/2-NPT2	NPT2-1/2	NPT2	28	35	86
SH-SZJ-D NPT3-NPT2	NPT3	NPT2	28	35	96
SH-SZJ-D NPT3-NPT2-1/2	NPT3	NPT2-1/2	28	35	96
SH-SZJ-D NPT3-1/2-NPT2	NPT3-1/2	NPT2	28	35	110
SH-SZJ-D NPT3-1/2-NPT2-1/2	NPT3-1/2	NPT2-1/2	28	35	110
SH-SZJ-D NPT3-1/2-NPT3	NPT3-1/2	NPT3	28	35	110
SH-SZJ-D NPT4-NPT3	NPT4	NPT3	28	35	124
SH-SZJ-D NPT4-NPT3-1/2	NPT4	NPT3-1/2	28	35	124
SH-SZJ-D G1/2-G3/8	G1/2	G3/8	16	21	24
SH-SZJ-D G3/4-G1/2	G3/4	G1/2	16	21	30
SH-SZJ-D G1-G1/2	G1	G1/2	18	23	36
SH-SZJ-D G1-G3/4	G1	G3/4	18	23	36
SH-SZJ-D G1-1/4-G3/4	G1-1/4	G3/4	19	24	45
SH-SZJ-D G1-1/4-G1	G1-1/4	G1	19	24	45
SH-SZJ-D G1-1/2-G1	G1-1/2	G1	20	26	55
SH-SZJ-D G1-1/2-G1-1/4	G1-1/2	G1-1/4	20	26	55
SH-SZJ-D G2-G1-1/4	G2	G1-1/4	20	26	68
SH-SZJ-D G2-G1-1/2	G2	G1-1/2	20	26	68
SH-SZJ-D G2-1/2-G1-1/2	G2-1/2	G1-1/2	22	28	86
SH-SZJ-D G2-1/2-G2	G2-1/2	G2	22	28	86
SH-SZJ-D G3-G2	G3	G2	22	28	96
SH-SZJ-D G3-G42-1/2	G3	G2-1/2	22	28	96
SH-SZJ-D G3-1/2-G2	G3-1/2	G2	22	28	110
SH-SZJ-D G3-1/2-G2-1/2	G3-1/2	G2-1/2	22	28	110
SH-SZJ-D G3-1/2-G3	G3-1/2	G3	22	28	110
SH-SZJ-D G4-G3	G4	G3	24	32	124
SH-SZJ-D G4-G3-1/2	G4	G3-1/2	24	32	124

## Model Implication

